







Part # 13510.10 13510.11 13510.12

460 HORIZON DR. SUITE 400 | SUWANEE, GA 30024 | PHONE: 770-614-6101 | FAX: 770-614-6069 | info@omix-ada.com

Quick Release Bow Knuckle Kit





Components

1. Small Bow Knuckle

(2 - 13510.10) 2. Large Bow Knuckle

(2 - 13510.10)

(4 - 13510.12)

(0 - 13510.12)

OMIX-ADA® TECHNICAL SUPPORT

PHONE: M-F 8am - 5pm EST 1-800-449-6649 | EMAIL: techsupport@omix-ada.com

FOR WARRANTY INFORMATION VISIT: www.Omix-Ada.com








460 HORIZON DR. SUITE 400 | SUWANEE, GA 30024 | PHONE: 770-614-6101 | FAX: 770-614-6069 | info@omix-ada.com

Quick Release Bow Knuckle Kit

1. Lower soft top and detach factory bow knuckles from soft top frame and sport bar by removing pivot bolt and screw.




2. Insert Quick Release Bow Knuckles in open ends of soft top bows.




If installing kit #13510.10 ensure quick release knob on Large Bow Knuckles face outward and quick release knob on Small Bow Knuckles face inward.

Otherwise, ensure all quick release knobs face inward.



3. Pull quick release knob and turn clockwise to lock in open position.










460 HORIZON DR. SUITE 400 | SUWANEE, GA 30024 | PHONE: 770-614-6101 | FAX: 770-614-6069 | info@omix-ada.com

Quick Release Bow Knuckle Kit

4. Align bow knuckes with mounting bracket and attach them by pulling quick release knob slightly out and twisting counter-clockwise. Once in main groove let go of quick release knob.



5. Once all bow knuckles are attached to mounting brackets, secure Quick Release Bow Knuckles to soft top bows with factory self tapping screws.

